Lyngsoe Systems

BOOK-O-MAT

THE ROBUST SELF-SERVICE BOOK DISPENSER FOR EXTENDED REACH OF YOUR SERVICE

PICK UP HOLDS ANYWHERE, ANY TIME
Materials, for example reserved via the library website, can be collected from the Book-O-Mat outside of opening hours. Patrons can handle the pick-up process themselves in a few, very simple steps.

The Book-O-Mat can be placed inside or outside normal library facilities, such as a train station, to extend the library's service reach and enhance convenience for the patrons.

ONLY OPENS TO THE CORRECT PATRON
Library staff feed the Book-O-Mat with the reserved materials, and the individual compartments are linked to the specific patrons in the intuitive Book-O-Mat software. Via SIP2 to the LMS, the patrons are notified that the materials are ready for pick-up.

The only thing the patrons needs to do, is to identify themselves by scanning the library card, and only the relevant doors open to them, and the materials are checked-out in the LMS.

SCALABLE TO MEET YOUR NEEDS
Depending on your capacity needs, the locker system can be expanded from the 19 compartments, in the main module with the appealing touch screen, to 43 or 67 or even 91, by supplementing the main module with equally robust add-on modules.

BENEFITS
· Extends library service reach
· Extends library service hours
· Pick up holds anywhere, any time

SPECIFICATIONS   BOOK-O-MAT

Dimensions	Locker Main Unit:	1900 mm H x 900 mm W x 500 mm D
	Locker Add-on Unit:	1900 mm H x 900 mm W x 500 mm D
	Box size:	110 mm H x 340 mm W x 450 mm D
Weight	320 kg (Main + Add-on – 43 boxes)	
Network connection	Wired ethernet, LAN, RJ45, to the integrated PC	
Materials	Powder-coated steel – thickness:	
	Body: 1 mm	
	Box doors: 1.5 mm	
	Electromagnetic locks (with a control system for every compartment)	
	Each box door is equipped with a recessed handle (i.e. not protruding from the outline of the machine) resistant to damage	
Display	19" touch screen in master module	
Receipts	Printer integrated in master module (option)	
Reader	Depending on the library's needs, ID cards, bar code. Electromagnetic stripe card (option).	
Software	Box door control	
	Item information display	
	Lending statistics	
	Integration with Library Management System via SIP2	
RFID	HF and UHF both can be supported	

OPTIONS
· Alternative powder-coating and graphics
· Initial master module can be expanded by additional modules

| PATRON RESERVES MATERIALS ON LIBRARY WEBSITE | MATERIALS ARE PLACED IN THE BOOK-O-MAT BY LIBRARY STAFF | "MATERIALS READY TO COLLECT" NOTIFICATION IS SENT TO PATRON | THE LIBRARY CARD IS NECESSARY TO OPEN THE BOX | PATRON COLLECTS THE MATERIALS FROM THE BOOK-O-MAT |